### Federated Identity:

What is Federation?
How does it work?
Why is it secure?

Ardoth Hassler
Senior IT Advisor
National Science Foundation
April 16, 2009

Large Facilities Workshop - Tucson, AZ

#### Agenda for Today

- Establish a common vocabulary
- What are the business needs?
- What is InCommon?
- What is "Federation"?
- How does it work?
  - Why is it more secure?
- What does it mean for the research community and NSF?

If we have time...

 What's happening with the research community and Federal eAuth?

#### Some terminology...

#### What is identity management?

- Organization: The policies, processes, and tools used to "assure" that IT systems and applications are made available only to appropriate persons
- Individual: The persons I am working with and the systems I am using really are who/what they say they are. And no one can impersonate me, or read or change my information
- Identity Management has greatly increased in importance as IT systems and applications are used to perform more and more of the work of society and commerce
- Today, NSF requires an NSF ID and password to access FastLane and Research.gov

-G. Strawn

#### What is federated identity?

 "Federated identity management allows users to log in using their local authentication credentials (username and password assigned by their institution) to access electronic resources hosted at other institutions belonging to the same identity federation." (www.incommonfederation.org)

- Designed to address:
  - multiple passwords required for multiple applications
  - scaling the account management of multiple applications
  - security issues associated with accessing third-party services
  - privacy
  - interoperability within and across organizational boundaries

#### "Identity Providers"

- End user organizations act as 'identity providers' (IdPs) and optionally 'service providers' (SPs defined on next slide)
- Identity providers (IdPs) supply user information
  - Universities
  - NSF should be the IdP for its employees
- Benefits
  - Enhances security
    - IdP controls what information is shared
    - Users need to remember only one username and password
  - Users and organizations are responsible for their own information
  - Ease of use

#### "Service Providers"

 Service Providers (SPs) "consume the IdP's information and get access to secure content in order to provide the appropriate access to services

#### Benefits

- No need to maintain your own user database
  - Authentication is performed by the IdP
  - Can authorize per institution, role, and/or entitlement
- Reduced user support requirements
- Reduced compliance burden
  - Less storage/processing of personal data
- Accurate implementation of license conditions
- Users take better care of credentials
- Organizations take better care of assertions

#### Authentication vs. Authorization

- Authentication: the process of verifying that you
- Authorization: the process of verifying that an authenticated person has the authority to perform a certain operation
- Authentication must precede authorization

#### Levels of Assurance

- OMB M04-04: e-Authentication Guidance for Federal Agencies (<a href="http://www.whitehouse.gov/omb/memoranda/fy04/m04-04.pdf">http://www.whitehouse.gov/omb/memoranda/fy04/m04-04.pdf</a>)
- NIST Special Publication 800-63-1: Electronic Authentication Guideline (<a href="http://csrc.nist.gov/publications/drafts/800-63-rev1/SP800-63-Rev1\_Dec2008.pdf">http://csrc.nist.gov/publications/drafts/800-63-rev1/SP800-63-Rev1\_Dec2008.pdf</a>)
- Electronic Risk and Requirements Assessment (e-RA)
   Tool
   (<a href="http://www.cio.gov/eauthentication/drilldown\_ea.cfm?action=ea\_era">http://www.cio.gov/eauthentication/drilldown\_ea.cfm?action=ea\_era</a>

# Short Summary of the Asserted Identity's Validity

#### Level of Assurance

- Level 1: Little or no confidence
- Level 2: Some confidence
- Level 3: High confidence
- Level 4: Very high confidence

#### It's About Trust...



- Shib what?
- Techniques and software developed as part of NSF Middleware Initiative (CISE/NMI)
- Standards based, open source software package for web single sign-on across or within organizational boundaries
- Neither an authentication or authorization system
- Secure exchange of messages between two parties (Identity Provider and Service Provider)
- Authentication handled by institution/LA/RBC (devolved authentication)
- Authorization achieved by an exchange of attributes (such as 'member of an institution')
- Providers need to sign up to a 'trust' agreement
- Vendor solutions (Oracle, Sun, CA/Netegrity...)
- An implementation of SAML (Security Assertion Mark-Up Language)

#### SAML



- SAM who?
- Security Assertion MarkupLan guage (SAML)
  - Used for exchanging authentication and authorization data between security domains, that is, between an *identity provider* (a producer of assertions) and a *service provider* (a consumer of assertions)
  - XML-based standard
- OASIS SAML <a href="http://www.oasis-open.org/committees/tc\_home.php?wg\_abbrev=security">http://www.oasis-open.org/committees/tc\_home.php?wg\_abbrev=security</a>
- Open SAML 2.0 now available
  - Already heavily used by Verisign, Tata, etc.
- NSF is using SAML 1.01
- Federations are migrating to SAML 2.0
- Action item for NSF: migrate to SAML 2.0

http://en.wikipedia.org/wiki/Saml

# What are the business needs?

#### The Changing Environment

- Many more services require authentication
  - At work
    - Travel
    - Emergency Alerts
    - HR-related
    - Training
    - Benefits
    - Professional organizations
  - At home
    - Shopping (Lands End, Amazon, eBay, airlines...)
    - Google Email/Apps, Yahoo, AOL...
    - Social networking: Facebook, LinkedIn, Twitter, MySpace...
    - Financial management: Banking, credit cards, investment, bill paying

#### The Changing Environment (more)


- Many more services require authentication
  - At school/university
    - Scholarship is done via the net
    - Access needed within the institution
      - Library, food services, HR, registration...
    - Access needed outside the institution...
      - Collaboration is worldwide
      - State agencies
      - Federal agencies


#### The Challenge....

- More and more services
- More and more "trusted" nartners
- Dependent on assertion of "eligibility"
  - Various criteria and representations
  - Who can assert "student-ness"? "research-ness"?
- More Personal Identifying Information (PII) --> less personal privacy AND a higher level of service
  - Varying levels of assurance required
- Anonymity sometimes required
- Broader constituencies to worry about

#### What problems are we trying to solve?

- Reduce the need for multiple usernames and passwords
- Reduce amount of personal data held by third parties
- Reduce the duplication of effort across multiple
- Enable publishers, service and network providers to have a common interface for multiple systems
- Ease the difficulty in sharing resources between institutions and organizations
- Make revocation of access/services easier





#### Why does the community want this?

- It's easier
  - Researchers
    - One username and password to remember (single sign on) for multiple campus applications, access to NIH and NSF and ...
    - Ability to use same credentials with other agencies
      - NIH is already accepting InCommon credentials for several external application
    - More control over their own information
  - SPOs
    - After initial authorization, won't have to retrieve NSF IDs for researchers
- Enhances security
  - Eliminates a lot of "middle people"
- Often-requested new feature for Research.gov

#### What is the value to the "institution"?

- One solution for intra- and inter-domain singlesign on
- Ability to manage access control by groups or for roles
- Allows personalization of services without releasing identity
- Once implemented, extensions to other applications are much easier
  - Just manage attributes that are released to new targets

#### What value is there to the user?

- Web single-sign on across a worldwide set of sites
- Fewer passwords
- Tools to manage privacy
- A 'trusted party' is asserting values and eligibility
- NOT tied to IP address or browser

-Courtesy of Steve Carmody, Brown University

#### Why is this important to NSF?

- Provides easier authenticated access to services the research and education community wants and needs to reach
  - Perfect fit for access to Research.gov and FastLane
- Keeps NSF in a leadership role for use of "Federated Identity"
- Enhanced security
  - More work done electronically "behind the scenes"
  - No local IDs and passwords
  - Users won't need to write down multiple passwords
- Reduces NSF's need to manage accounts
  - Institutions and individuals at those member institutions become responsible for the integrity of their own information
- Unified authentication methods build on standards
  - Much more scalable
  - Easier to bring new "customers" online

# What is InCommon? and What does "Federation" mean?

#### **InCommon**

"InCommon eliminates the need for researchers, students, and educators to maintain multiple, passwords and usernames. Identity providers manage the levels of their users' privacy and information exchange. InCommon uses SAML-based authentication and authorization systems (such as <a href="Shibboleth®">Shibboleth®</a>) to enable scalable, trusted collaborations among its community of participants."

- InCommon Federation (<u>www.incommonfederation.org</u>)
  - Mission: create and support a common framework for trustworthy shared management of access to on-line resources in support of education and research in the US




- US Research and Education Federation
  - Separate entity with its own governance
  - Operations managed by Internet2
  - Members are degree granting accredited organizations and their partners



#### What is "Federation"?

- A group of member organizations who agree to a set of rules
- An independent body, managing the trust relationships between members
- Publishers, agencies and resource providers act as 'service providers' (SPs)
- InCommon is a Federation





#### What services does the Federation provide?

- Rules that binds members:
  - Make accurate statements to other members
  - Keep federation systems and data secure
  - Use personal data correctly
  - Resolve problems within the Federation
    - · Not by legal action
- Guidance, examples, support
  - How to comply with the Rules
  - How to work with other members
    - Common definitions, etc.



#### What services does the Federation provide?

- Operational management
  - Registration mechanism for SPs and IdPs
  - Adding new members to the federation & updating existing members' metadata
  - Fault finding and trouble shooting
  - Compatibility testing of server certificates and CA Qualification
  - Technical and operational documentation
  - Ongoing federation development
  - Reporting


#### What does the Federation do?

- Uses shared technology
- Provides "common data" or "attributes" to exchange
- Enables scaling beyond the technology
  - Rules of engagement
  - Information about how to connect
- Performs vetting of organizations and representatives
- Maintains member information



#### Levels of Assurance

M04-04/ NIST 800-63	Requirement	Application Risk	InCommon
Level 1: Little or no confidence	User ID and Password SAML	Low	Bronze
Level 2: Some confidence	User ID and Password SAML	Moderate (money)	Silver
Level 3: High Confidence	Tokens and certificates PKI	High	Gold
Level 4: Very high confidence	Tokens and certificates PKI	Highest	[Platinum?]



# US InCommon Membership and Federation Highlights

- Current InCommon Members
  - 96 Colleges and Universities
    - More every week
    - Growth almost exponential
  - 8 6 Government and Nonprofit Labs, Research Centers, and Agencies
  - 33 Corporations
  - More pending
- Other Federations
  - State university systems
  - Community college libraries
  - Medical associations
  - DoJ and DoD
- All do SAML; most are Shib



-Source: K. Klingenstein, Internet2/InCommon

#### 96 Colleges and Universities

Arizona State University

**Brown University** 

California Polytechnic State U - San Luis Obispo California State University, Office of the Chancellor

Carleton College

Case Western Reserve University

Clemson University

College of William and Mary

Colorado State University

Columbia University

Cornell University

Dartmouth

**Duke University** 

Emory University

Florida State University

George Mason University
Georgetown University

Hampden-Sydney College

Indiana University

James Madison University

Johns Hopkins Lafayette College

Liberty University

Massachusetts Institute of Technology

Medical University of South Carolina

Miami University

Michigan State University

Michigan Technological University

New York University

North Carolina State University Northern Arizona University

Northern Michigan University

Northwestern University

Ohio State University

Ohio University

Old Dominion University

Penn State

Purdue University

Ramapo College of New Jersey

Rutgers, The State University of New Jersey

Seattle Central Community College

Stanford University

Stark State College of Technology

Stevens Institute of Technology

Stony Brook University Sweet Briar College

Texas A & M University

The University of Chicago

The University of Findlay

The University of Michigan
The University of North Carolina at Chapel Hill

University at Buffalo, SUNY

University of Alabama at Birmingham

University of Arizona

University of California, Berkeley

University of California, Davis

University of California, Irvine

University of California, Los Angeles

University of California, Merced

University of California, Office of the President

University of California, Riverside University of California, San Diego

University of California, San Francisco

University of California, Santa Cruz

University of Colorado at Boulder

University of Dayton

University of Florida

University of Houston-Downtown

University of Illinois at Urbana-Champaign

University of Iowa

University of Mary Washington

University of Maryland

University of Maryland Baltimore County

University of Maryland, Baltimore

University of Massachusetts Amherst

University of Minnesota

University of Missouri System

University of Nebraska - Lincoln

University of Nevada, Reno

University of Northern Colorado

University of Northwestern Ohio

University of Richmond University of Rochester

University of South Carolina

University of South Florida

University of Southern California

University of Utah

University of Vermont

University of Virginia
University of Washington

University of Wisconsin - Madison

University of Wisconsin - Whitewater

Vanderbilt University

Virginia Commonwealth University

Virginia Polytechnic Institute & State University

Virginia State University

## Members: Government and Nonprofit Laboratories, Research Centers, and A gencies

#### **Members**

- Energy Sciences Network (ESNet)
- Lawrence Berkeley National Laboratory
- Moss Landing Marine Laboratories
- National Institutes of Health
- TeraGrid
- National Science Foundation as of 1/29/2009

#### Pending

- LIGO
- 001
- Department of Education

In the virtual organizations, there is a bit of a "chicken and egg" problem as the member institutions have to adopt SAML and Shib before the VO can make use of it.

#### Considering

- NEON
- OSG

# NSF Large Facilities Are Already Joining InCommon



Laser Interferometer Gravitational-Wave Observatory



Ocean
Observatories
Initiative



- **TeraGrid**
- piloting/test bed now
  - Expect XD (TG phase 3) to use it in production

Considering InCommon membership: Long Term Ecological Research [Iternet.edu] National Ecological Observatory Network [neoninc.org]

# 33 Sponsored Partners

#### **Members**

- Absolute Software, Inc.
- Apple iTunes U\*
- Burton Group
- Cengage Learning, Inc.
- e2Campus by Omnilert, LLC
- EBSCO Publishing\*
- Elsevier\*
- Houston Academy of Medicine Texas Medical
- Identit-e
- Internet2
- JSTOR\*
- Kuali Foundation\*
- Microsoft\*
- National Institute for Technology and Liberal Education (NITLE)
- National Student Clearinghouse\* (student loan processing)
- NG Web Solutions
- OCLC
- OhioLink The Ohio Library & Information Network
- Omnilert, LLC
- Outside The Classroom
- PeopleAdmin, Inc.

- ProQuest LLC
- ProtectNetwork
- RefWorks, LLC
- Safari Books Online
- Students Only Inc.
- SumTotal Systems Inc.
- Symplicity Corporation
- Travel Solutions, Inc.
- Trondent Development Corp.
- Turnitin
- UniversityTickets
- WebAssign

#### Pending

- Google\*
- student service companies\*
- medical consortia

\*Incentive for more colleges and universities to join

The research community will benefit as institutions opt for federated services to meet administrative needs, eg student loan processing.


# International Federation Highlights

#### International Federation Highlights

- Numerous countries including Norway, Switzerland, Finland,
   Spain, France, Sweden, Finland, Switzerland, Netherlands,
   Germany, Denmark, Norway, Australia, Brazil, Japan, Canada,
   etc.
- Several countries at 100% coverage, including Norway,
   Switzerland and Finland
- Community served varies somewhat by country, but all are multiapplication and include higher education
- UK intends a single federation for HE and Further Education ~ tens of millions of users
- Real use cases involving international team science now driving interfederation peering urgency
- All do SAML; most are Shib
- Working to "peer" Federations

-Source: K. Klingenstein, Internet2/InCommon

# Peering Parameters




#### **Parameters:**

- LOA
- Attribute mapping
- Legal structures
  - Liability
  - Adjudication
- Metadata
  - VO Support
- Economics
- Privacy

# How does it work?

## How does it work?



#### The Players

- •IdP authenticates the browser user, and provides Attribute Assertions describing the user
- •SP validates the Assertions, makes an Access Control decision, and provides resources

#### •How is it Implemented?

- Messages sequence between the IdP and the SP
- Most messages move through the user's Web browser

#### •Metadata defines the:

- Trust framework
- Trusted parties
- Attributes the SPs want


# Importance ofPolicyTrust

#### R&D to Market

- TCP/IP
  - first as a technology
  - then as a market-maker
- SAML/Shibboleth
  - first as a technology
  - then as a market-maker
- Collaboration tools and collaboration management platforms
- Many of these technologies developed with NSF NMI/CISE (now OCI) support
  - "Shibboleth" and other Middleware

#### What is WAYF?

- "Where are you from?"
- Verification method for Shib
- Developed in the UK



# What does this all mean for NSF?

# How are we implementing this here?

## What will NSF's customers be able to do?

#### Research.gov

- Login with credentials issued by their home institution
- View Proposal Status
  - NSF
  - USDA/CSREES
  - · Army Research Office
  - More in progress
- Create and submit Federal Financial Reports to NSF
- Maintain their user profiles
- And much more...

#### FastLane

- Login with credentials issued by their home institution
- Access and use current PI/co-PI suite of functions
- Perform Research Administration
- Use proposal and award functions





#### Planned Pilot

Demonstrate "proof of concept" with Ohio State University - complete



- Research.gov
  - Connect other institutions
    - Pennsylvania State University
    - · University of Washington
    - Georgetown University
    - Colorado State University
    - University of California-Davis
  - Expand to other Research.gov institutions





- FastLane
  - Timeline to be determined
  - Successfully demonstrated in December 2006




#### Colorado State University




# Shared Data (minimum)

- Common Name
- Given Name
- Surname
- Middle Name (init)
- Business email
- Institutional affiliation of credential issuer
- Authentication LOA (level of assurance of identity) – will be 1 for this round
- a unique identifier for the user


## How will it at work at NSF?



# An example of a current service at an IdP... Step 1: start




# An example of a current service... Step 2: authentication




# An example of a current service... Step 3: access

User recognized and now has access to offerings available under license agreement.



## Example of "launch" at NSF



User


login

path

## Example of "launch" from USDA




## Example of "arrival" at NSF



# Example of "arrival" at NSF



# Example of "arrival" at NSF "prompted activation"



# User is ready to "work"



Large Facilities Workshop

## Next time...

- User
  - "Launches" from home institution
  - Arrives at Research.gov
  - Is not asked for NSF ID and password

## Next time the user arrives ready to work!



Large Facilities Workshop

## What the institutions need to do...

- Five pilot institutions ("beta")
  - Tech lead: RL "Bob" Morgan U of Washington
  - Ironing out kinks at their end to share experience with others
- Unique user names (pilot institutions have this)
- "Identity proofing"
  - LOA1 (InCommon Bronze)
    - · You are who you say you are... vetted by Sponsored Projects Officer
  - LOA2 (InCommon Silver)
    - You will have provided at least the INS (I-9) level of identification of two forms of governmentissued ids
    - Anyone hired prior to 1986 may not have done this
- Technical implementation
  - Production "Shib"
  - Login services
  - "application handshakes"
- Sponsored Research Office collaboration
  - "Front end"/"Front door" access
  - User education
  - Ongoing<sub>SU</sub> pport

# A real life example... One University Two Sponsored Research Offices; Two Administrations


Main Campus




**Medical Center** 



# Already a resource... [addinga link to Research. 90v]



# Example Change: requires collaboration with SRO, IT and, in this case, a contract web developer



Add link for login with GU credentials and link to NSF

OR

Pass already authenticated GU credentials to NSF

> Note: this authentication may also occur off of a special login page initially.

# What's happening in the research community and with federal eAuth?

## "InCommon-research-admin" Pilot

- Goal: intended to accelerate the deployment of federated identity and associated attributes in the research management community.
- Participants
  - University: IT organizations and Sponsored Research Offices
  - Federal Agencies: NIH and NSF, with endorsement of GSA eAuthentication initiative
  - National Organizations: the FDP and InCommon
- Objectives:
  - Inform each other The diverse communities engaged bring different interests, expertise, terminologies, and challenges that they want to address.
  - Improve current business processes by leveraging the emerging federated identity infrastructure – The primary early focus of the activity is to utilize federations such as InCommon to improve the user experience, provide better security, and protect privacy.
  - Develop reengineered business processes to take advantage of the new technologies Over the course of the work, we hope to better understand how to make other fundamental improvements to the activities of the research administration community through the use of the identity and access infrastructure.

# InCommon-research-admin Objectives

- Work with pilot institutions to anchor and extend the use of existing InCommon infrastructure within the research administration community.
  - initial application base is a set of LOA 1 applications (grant status checks, genome db access, etc.)
  - expanded and complement with better defined strategies for cutover, user support, dissemination, etc.
- Develop strategies for campuses to implement InCommon Silver.
  - LOA 2
  - Leverage real business requirements to improve levels of security and ease of use.
- Use role-based access controls to complement identity based controls.
  - Pilot distributed but coordinated management via federated attributes.
- Understand how the InCommon-research-admin activities relate to other important R&E activities for the promotion of leverage and consistency of practice across the research community.

# InCommon-research-admin Expected Outcomes

- A "researchPerson" definition similar to the existing "eduPerson"
- Experiences to share with
  - Other federal agencies
  - Other institutions

#### National Institutes of Health

- Creating a federation for inside NIH
- All LOA 1
- Enabling lots of applications
  - But, NOT grants management
  - 5-6 in production now
  - National Library of Medicine is coming on soon
- Soon will have 100,000 users in 9,500 institutions worldwide
- Piloting LOA 2 for grants management<sub>W</sub> ith InCommon



# What's happening with Federal eAuth?

- 2002: government-wide eAuthentication begun
  - A few early adopters
- March 2009: eAuth PMO disbanded
  - Non viable business model
  - Sunset meeting held January 2009
- Responsibility moving from Federal Acquisition Service to Office of Government Policy
  - Agencies can:
    - Buy services off GSA schedule
    - Make their own alliances with other agencies and organizations
  - Move toward more industry-based certifications of products and technologies

# What's happening with Federal eAuth?

#### GSA

- New Leadership: Peter Alterman, Ph.D., Deputy Associate Administrator for Technology Strategy; Office of Governmentwide Policy, GSA
  - Led NIH initiative (toward higher-ed compatibilities)
  - Advocate for university methodologies for many years
- Recommending using technologies used by InCommon as their new model as of 11/2008
- CIO Council/New Administration
  - Federal Identity, Credential, and Access Management (*ICAM*) Working Groups
    - Citizen services
    - F2F Working group
- http://www.cio.gov/eauthentication/

# Background and Supplemental Information

#### Shibboleth\*

- "The term originates from the Hebrew word 'shibboleth' (שיבולת), which literally means the part of a plant containing grains, such as an ear of corn or a stalk of grain[3] or, in different contexts, 'stream, torrent'[4][5] It derives from an account in the Hebrew Bible, in which pronunciation of this word was used to distinguish members of a group (the Ephraimites), whose dialect lacked a /∫/ sound (from members of a group (the Gileadites) whose dialect did include such a sound.
- "In the Book of Judges, chapter 12, after the inhabitants of Gilead inflicted a military defeat upon the tribe of Ephraim (around 1370–1070 BC), the surviving Ephraimites tried to cross the Jordan River back into their home territory and the Gileadites secured the river's fords to stop them. In order to identify and kill these disguised refugees, the Gileadites put each refugee to a simple test:
- "Gilead then cut Ephraim off from the fords of the Jordan, and whenever Ephraimite fugitives said, *Let me cross*, the men of Gilead would ask, *Are you an Ephraimite?* If he said, *No,* they then said, *Very well, say Shibboleth.* If anyone said, *Sibboleth,* because he could not pronounce it, then they would seize him and kill him by the fords of the Jordan. Forty-two thousand Ephraimites fell on this occasion.' "— <u>Judges</u> 12:5-6, NJB

<sup>\*</sup> http://en.wikipedia.org/wiki/Shibboleth

## Security Assertion Markup Language\*

**Security Assertion Markup Language** (**SAML**) is an <u>XML</u>-based standard for exchanging <u>authentication</u> and <u>authorization</u> data between <u>security domains</u>, that is, between an *identity provider* (a producer of assertions) and a *service provider* (a consumer of assertions). SAML is a product of the <u>OASIS</u> Security Services Technical Committee.

The single most important problem that SAML is trying to solve is the *Web Browser Single Sign-On* (SSO) problem. <u>Single sign-on</u> solutions are abundant at the <u>intranet</u> level (using <u>cookies</u>, for example) but extending these solutions beyond the intranet has been problematic and has led to the proliferation of non-interoperable proprietary technologies. SAML has become the definitive standard underlying many web Single Sign-On solutions in the enterprise <u>identity management</u> problem space.

SAML assumes the *principal* (often a user) has enrolled with at least one identity provider. This identity provider is expected to provide local authentication services to the principal. However, SAML does not specify the implementation of these local services; indeed, SAML does not care how local authentication services are implemented (although individual service providers most certainly will).

Thus a service provider relies on the identity provider to identify the principal. At the principal's request, the identity provider passes a SAML assertion to the service provider. On the basis of this assertion, the service provider makes an access control decision.

\*http://en.wikipedia.org/wiki/SAML

# OASIS: Organization for the Advancement of Structured Information Standards

- OASIS (Organization for the Advancement of Structured Information Standards) is a not-for-profit consortium that drives the development, convergence and adoption of open standards for the global information society. The consortium produces more Web services standards than any other organization along with standards for security, e-business, and standardization efforts in the public sector and for application-specific markets. Founded in 1993, OASIS has more than 5,000 participants representing over 600 organizations and individual members in 100 countries.
- Members of note: NIST, NOAA (weather), Internet2, NCSA, etc.
- http://www.oasis-open.org/who/



Advancing open standards for the information society

Technology Providers
 G overnment & University

■Users & Influencers

#### eduPerson Core Attributes

- eduPersonScopedAffiliation does this institution subscribe to the service in question? e.g. member@netherhall.cambs.sch.uk, or student@keele.ac.uk
  - student (learner), staff (non-teaching staff), faculty (teaching staff), employee (all staff), member (comprises all the previous categories), affiliate (relationship short of full member), alum (ex pupil/alumnus)
- eduPersonTargetedID persistent opaque identifier can provide personalisation & usage monitoring across sessions
- eduPersonPrincipalName the 'NetID' of the user, e.g. user@school.lea.sch.uk a
  persistent identifier across different services
- eduPersonEntitlement enables an institution to assert that a user satisfies an additional set of specific conditions that apply for access to a particular resource e.g. "entitled to access financial accounts"
- Where extra attributes are required, the federation has a process for the addition of subsidiary attributes, but...

For most applications a combination of eduPersonScopedAffiliation and eduPersonTargetedID will be sufficient

#### Resources

- http://www.incommonfederation.org/
- http://www.incommonfederation.org/assurance/
- http://www.Internet2.edu
- http://shibboleth.internet2.edu/
- http://middleware.internet2.edu/eduperson/
- http://csrc.nist.gov/publications/PubsSPs.html

78

#### International Activities

- http://www.terena.org/activities/refeds/
  - A summary of discussions among R&E networks, including a survey of national efforts
- http://www.jisclegal.ac.uk/access/
  - Excellent policy analytics, especially around international issues of privacy, peering, and attributes
- http://ec.europa.eu/idabc/
  - TransEuropean activities in IdM for use among citizens, governments, and businesses

## Acknowledgments

- Bill Altmire, Shauna Benson and David Lotts; NSF
- Steve Carmody, Brown University
- Ken Klingenstein, InCommon
- Ann West, Internet2
- John Chapman, Project Adviser, Technical Policy and Standards. "The UK Access Management Federation for education and research". Becta. <a href="http://www.becta.org.uk">http://www.becta.org.uk</a>

Slides from the above used with permission.

# Questions?